



## Retail Food Establishment Inspection Report

Floyd County Health Department  
Telephone: 812-948-4726

X6060

Based on an inspection this day, the item(s) noted below identify violations of 410 IAC 7-24. Indiana Retail Food Establishment Sanitation Requirements. The time limit for correction of each violation is specified in the narrative portion of this report.

Establishment Name <b>Jimmy John's #1139</b>			Telephone Number <b>812 725 8580</b>	Date of Inspection (mm/dd/yr) <b>7/15/2019</b>	PERMIT # <b>19-302</b>
Establishment Address (number and street, city, state, zip code) <b>3001 Charleston X-ing New Albany, IN 47150</b>			<b>617 579 3355</b>		
Owner <b>83 Subs, LLC</b>			Purpose: <input checked="" type="radio"/> 1. Routine <input checked="" type="radio"/> 2. Follow-up 3. Complaint 4. Pre-Operational 5. Temporary 6. HACCP 7. Other (list)	Follow-up <b>YES</b>	Release Date <b>10 days</b>
Owner's Address <b>5308 Rock Ridge Dr. Louisville, KY 40241</b>			Summary of Violations: <b>C 0 NC 3 R 3</b>		
Person in Charge <b>Joval Hayes</b>			Menu Type (See back of page) <b>1 2 X 3 4 5</b>		
Responsible Person's E-mail <b>jay@page9sr.com</b>					
Certified Food Manager <b>Joval Hayes (1/10/23)</b>					

• CRITICAL ITEMS ARE IDENTIFIED IN THE CHECKLIST AND NARRATIVE COLUMNS MARKED "C"

• VIOLATION(S) REPEATED FROM PREVIOUS INSPECTIONS ARE DENOTED IN THE "SUMMARY OF VIOLATIONS" AND IN THE NARRATIVE BELOW AS "R"

Section#	C/NC	R	Narrative	To Be Corrected By
295	NC	R	Observed mold build-up on lobby ice chute	1 week
297	NC	R	Observed rust around interior bin of BOH ice bin	1 week
430	NC	R	Observed mold in cabinet under soda machine in lobby	1 week
FCHD will issue invoice for 2nd follow-up to be paid in full before 7/22				

Received by (name and title printed): <b>Joval Hayes GM</b>		Inspected by (name and title printed): <b>A.J. Ingram (EHS)</b>	
Received by (signature): <b>Joval Hayes</b>		Inspected by (signature): <b>aj</b>	
cc:	cc:	cc:	